Mental Health Considerations in Individuals with IDD/ASD

David O'Neal

Sound Health

Director of IDD Services



Disclosures

Today's speaker has no financial relationships with an ineligible company relevant to this presentation to disclose.

None of the planners have relevant financial relationship(s) to disclose with ineligible companies whose primary business is producing, marketing, selling, re-selling, or distributing healthcare products used by or on patients

All relevant financial relationships have been mitigated





Objectives

- Understand the prevalence of MH conditions in this group of individuals
- Presentation of common mental health diagnosis
- Understand how mental health and other vulnerabilities contribute to the crisis.



Prevalence of MH Conditions and IDD

- People with IDD experience a higher rate of mental health conditions than the general population
 - 30-40% have a psychiatric disorder compared to 27% of the general population
 - 10-20% have challenging behavior (self-injury, aggression, destructive behavior), severe enough to impair daily life
- But <u>why</u>? Some <u>risk</u> factors:
 - Biological
 - Psychological
 - Psychosocial/developmental



Biological Factors

- Genetic syndromes, etc.
- Medical conditions
- Executive functioning levels
- Sensory variabilities



Psychological Factors

- IQ level
- Mental Health factors



Two Specialized Diagnostic Guides for ID

- Diagnostic Criteria-Learning Disability DC-LD in 2001 by the Royal College of Psychiatrists
- ▶ Diagnostic Manual-Intellectual Disability DM-ID 2 (Fletcher, Barnhill, Cooper, eds.) in 2016 by the National Association for the Dually Diagnosed and American Psychiatric Association



Social / Developmental Factors

- The presence of an IDD or physical disability can make learning and making sense of the world more complex
- Communication
- Limited behavioral repertoire
- Lack of engagement and PERMA
- Limited choices



Developmental Considerations

Adjustment reaction to stress or changes

Medical including medication side effects

Anxiety

Trauma related response

Caregiver burnout

Depression

Mania

Psychosis





ENDIS FEBRUARY

Developmental Considerations

Adjustment reaction to stress or changes

Medical including medication side effects

Anxiety

Trauma related response

Caregiver burnout 6

Depression

Mania

8

Psychosis





References

Family Feud

Created originally by Kerry Rasmussen.

Re-created by Lora O'Neill 4/28/2008.

email: themathelk@hotmail.com

Original sound and graphic files from original file.

www.be-a-gameshow-host.wikispaces.com

Questions

THANK YOU!

Contact information: David O'Neal david.oneal@sound.health

